

	Type	Hits	Search Text	DBs
1	BRS	2	RuSiO	USPAT
2	BRS	0	RuSiO	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	0	RuSixOy	USPAT
4	BRS	5	RuSixOy	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	1	Ruthenium adj (si or silicon) adj oxide	USPAT
6	BRS	5	Ruthenium adj (si or silicon) adj oxide	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	157	Ruthenium with ((si or silicon) adj (oxide or dioxide))	USPAT
8	BRS	407	(reactive adj sputtering) with cvd	USPAT
9	BRS	0	((ruthenium or Ru) near2 precursor) same (nonreactive adj gas) same ((silicon or si) adj precursor)	USPAT
10	BRS	0	((ruthenium or Ru) near2 precursor) same (nonreactive adj gas) same ((silicon or si) adj precursor)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	0	((ruthenium or Ru) near2 precursor) and (nonreactive adj gas) and ((silicon or si) adj precursor)	USPAT
12	BRS	4	((ruthenium or Ru) near2 precursor) and (nonreactive adj gas) and ((silicon or si) adj precursor)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	IS&R	1	("6156599").PN.	USPAT
14	BRS	95	Ruthenium with ((si or silicon) adj (oxide or dioxide))	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	5	Ru-Si-O	USPAT
16	BRS	0	Ru-Si-O	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	3	Ruthenium adj (si or silicon) adj dioxide	USPAT
18	BRS	1	Ruthenium adj (si or silicon) adj dioxide	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	IS&R	1	("6063705").PN.	USPAT
20	BRS	8	6063705.URPN.	USPAT
21	IS&R	1	("6461909").PN.	USPAT
22	IS&R	2	((("5080862") or ("6197628"))).PN.	USPAT
23	BRS	4	Ruthenium adj (si or silicon) adj oxide	USPAT

	Type	Hits	Search Text	DBs
24	BRS	10	Ruthenium adj (si or silicon) adj oxide	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	IS&R	0	("Ruthenium with ((si or silicon) adj (oxide or dioxide))").PN.	USPAT
26	BRS	187	Ruthenium with ((si or silicon) adj (oxide or dioxide))	USPAT
27	BRS	2	((ruthenium or Ru) near2 precursor) and (nonreactive adj gas) and ((silicon or si) adj precursor)	USPAT
28	BRS	9	((ruthenium or Ru) near2 precursor) and (nonreactive adj gas) and ((silicon or si) adj precursor)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	5	Ru-Si-O	USPAT
30	BRS	1	Ru-Si-O	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	IS&R	8719	((438/3,239,253,396,522,530,622,627,631,643,653,680,762,765) or (257/295,296,310,751,767)).CCLS.	USPAT
32	BRS	790	(Ruthenium or Ru) and (((438/3,239,253,396,522,530,622,627,631,643,653,680,762,765) or (257/295,296,310,751,767)).CCLS.)	USPAT
33	BRS	2	RuSiO	USPAT
34	BRS	93	Ru\$1Si\$1O\$1	USPAT
35	BRS	349	Ru\$1Si\$1O\$1	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	BRS	4	Ru\$1Si\$1O\$1 with (diffus\$5 or adhes\$5)	USPAT
37	BRS	39	Ru\$1Si\$1O\$1 and (diffus\$5 or adhes\$5)	USPAT
38	IS&R	1	("6461909").PN.	USPAT
39	IS&R	1	("6320213").PN.	USPAT
40	IS&R	7	((("4157943") or ("5122923") or ("5335138") or ("5719425") or ("5843830") or ("5866460") or ("5637555"))).PN.	USPAT
41	BRS	816	(Ruthenium or Ru) and (((438/3,239,253,396,522,530,622,627,631,643,653,680,762,765) or (257/295,296,310,751,767)).CCLS.)	USPAT
42	BRS	409	(Ruthenium or Ru) and (((438/3,239,253,396,522,530,622,627,631,643,653,680,762,765) or (257/295,296,310,751,767)).CCLS.)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
43	BRS	2	RuSiO	USPAT
44	BRS	0	RuSiO	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
45	BRS	4	RuSixOy	USPAT

	Type	Hits	Search Text	DBs
46	BRS	20	RuSixOy	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
47	BRS	4	Ruthenium adj (si or silicon) adj oxide	USPAT
48	BRS	11	Ruthenium adj (si or silicon) adj oxide	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
49	BRS	206	Ruthenium with ((si or silicon) adj (oxide or dioxide))	USPAT
50	BRS	0	((ruthenium or Ru) near2 precursor) same (nonreactive adj gas) same ((silicon or si) adj precursor)	USPAT
51	BRS	11	((ruthenium or Ru) near2 precursor) and (nonreactive adj gas) and ((silicon or si) adj precursor)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	BRS	5	Ru-Si-O	USPAT
53	BRS	1	Ru-Si-O	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
54	BRS	926	(Ruthenium or Ru) and (((438/3,239,253,396,522,530,622,627,631,643,653,680,762,765) or (257/295,296,310,751,767)).CCLS.)	USPAT
55	BRS	6	Ru\$1Si\$1O\$1 with (diffus\$5 or adhes\$5)	USPAT
56	BRS	43	Ru\$1Si\$1O\$1 and (diffus\$5 or adhes\$5)	USPAT
57	BRS	926	(Ruthenium or Ru) and (((438/3,239,253,396,522,530,622,627,631,643,653,680,762,765) or (257/295,296,310,751,767)).CCLS.)	USPAT
58	BRS	492	(Ruthenium or Ru) and (((438/3,239,253,396,522,530,622,627,631,643,653,680,762,765) or (257/295,296,310,751,767)).CCLS.)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
59	IS&R	3	((("5126016") or ("5286675") or ("6133159")).PN.	USPAT
60	IS&R	25	((("4058430") or ("4250210") or ("4413022") or ("4982309") or ("5080862") or ("5130172") or ("5241137") or ("5270241") or ("5314727") or ("5352488") or ("5372849") or ("5525181") or ("5529953") or ("5614793") or ("5618761") or ("5662815") or ("5705442") or ("5729054") or ("5742322") or ("5874174") or ("5885750") or ("5962716") or ("5994034") or ("6063705") or ("6197628")).PN.	USPAT
61	BRS	7	((("4058430") or ("4250210") or ("4413022") or ("4982309") or ("5080862") or ("5130172") or ("5241137") or ("5270241") or ("5314727") or ("5352488") or ("5372849") or ("5525181") or ("5529953") or ("5614793") or ("5618761") or ("5662815") or ("5705442") or ("5729054") or ("5742322") or ("5874174") or ("5885750") or ("5962716") or ("5994034") or ("6063705") or ("6197628")).PN.) and (physical or pvd)	USPAT

	Type	Hits	Search Text	DBs
62	BRS	0	RuSiO	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
63	BRS	2	RuSiO	USPAT
64	BRS	4	RuSixOy	USPAT
65	BRS	23	RuSixOy	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
66	BRS	6	Ruthenium adj (si or silicon) adj oxide	USPAT
67	BRS	13	Ruthenium adj (si or silicon) adj oxide	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
68	BRS	220	Ruthenium with ((si or silicon) adj (oxide or dioxide))	USPAT
69	BRS	0	((ruthenium or Ru) near2 precursor) same (nonreactive adj gas) same ((silicon or si) adj precursor)	USPAT
70	BRS	11	((ruthenium or Ru) near2 precursor) and (nonreactive adj gas) and ((silicon or si) adj precursor)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
71	BRS	5	Ru-Si-O	USPAT
72	BRS	1	Ru-Si-O	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
73	BRS	1043	(Ruthenium or Ru) and (((438/3,239,253,396,522,530,622,627,631,643,653,680,762,765) or (257/295,296,310,751,767)).CCLS.)	USPAT
74	BRS	6	Ru\$1Si\$1O\$1 with (diffus\$5 or adhes\$5)	USPAT
75	BRS	43	Ru\$1Si\$1O\$1 and (diffus\$5 or adhes\$5)	USPAT
76	BRS	565	(Ruthenium or Ru) and (((438/3,239,253,396,522,530,622,627,631,643,653,680,762,765) or (257/295,296,310,751,767)).CCLS.)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text
1	BRS	L1	0	RuSiO
2	BRS	L2	2	RuSiO
3	BRS	L3	8	RuSixOy
4	BRS	L4	23	RuSixOy
5	BRS	L5	9	Ruthenium adj (si or silicon) adj oxide
6	BRS	L6	14	Ruthenium adj (si or silicon) adj oxide
7	BRS	L7	244	Ruthenium with ((si or silicon) adj (oxide or dioxide))
8	BRS	L8	0	((ruthenium or Ru) near2 precursor) same (nonreactive adj gas) same ((silicon or si) adj precursor)
9	BRS	L9	11	((ruthenium or Ru) near2 precursor) and (nonreactive adj gas) and ((silicon or si) adj precursor)
10	BRS	L10	6	Ru-Si-O
11	BRS	L11	1	Ru-Si-O
12	BRS	L12	1198	(Ruthenium or Ru) and (((438/3,239,253,396,522,530,622,627,631,643,653,680,762,765) or (257/295,296,310,751,767)).CCLS.)
13	BRS	L13	8	Ru\$1Si\$1O\$1 with (diffus\$5 or adhes\$5)
14	BRS	L14	49	Ru\$1Si\$1O\$1 and (diffus\$5 or adhes\$5)
15	BRS	L15	682	(Ruthenium or Ru) and (((438/3,239,253,396,522,530,622,627,631,643,653,680,762,765).or (257/295,296,310,751,767)).CCLS.)